

TRELLIDOR ROLLER SHUTTERS
COMMERCIAL ROLLERSTYLE RANGE

Lock Out The Worry.
Commercial security that takes care of business.

TRELLIDOR®
THE ULTIMATE CRIME BARRIER

Custom-made security solutions that protect people and property.

TRELLIDOR ROLLER SHUTTERS
COMMERCIAL ROLLERSTYLE RANGE

Trellidor Rollerstyle® motorised roller shutters are manufactured in a range of strengths to secure doors and windows against crime. Made from extruded aluminium with advanced attack resistant features, the various models are specified depending on the risk profile of the location.

ROLLERSTYLE® RH55

Double walled roller shutter.

A double layer of interlocking curtain slats measuring 55mm in height. The curtain can be made up of solid or vented slats. The vents are only visible when the curtain is extended.



Why choose Trellidor Rollerstyle® RH55

1 Windlock Strength

Windlocks provide additional strength under attack and extreme weather conditions.

2 Double Protection

Two layers of slats provide additional strength under attack.

3 Proven Protection

Extensively attack tested to ensure these shutters meet the exceptional standards expected of a Trellidor security barrier.



ROLLERSTYLE® SS76

Single walled steel roller shutter.

A single wall steel roller shutter with 72mm horizontal slats. There is a choice of solid, punched or perforated slats.

Why choose Trellidor Rollerstyle® SS76

1 Strengthening Features

Windlocks on the side of the curtain lock the slats in place to prevent the curtain pulling out during a breach attempt.

2 Easy to Use

A compact motor with a choice of wireless and hard-wired control methods drives the shutter.

3 Safety Elements

A safety break prevents uncontrolled dropping of the curtain. An optional key operated rim lock further secures the closed curtain as an additional safety measure.

ROLLERSTYLE® LDS65 S1

LPCB LPS1175 SR1

The Rollerstyle® LDS65 S1 shutter has 55mm horizontal slats that alternate with 10mm actuators using an integral interlocking hinge system. In addition to the anti-lift technology, an end retention system, enhances the attack resistance of the shutter.

Why choose Trellidor Rollerstyle® LDS65 S1

1 Anti Lift Protection

Designed for maximum security, featuring wider slats, actuators, and windlocks, ensuring advanced anti-lift protection that provides resistance to manual lifting without the need for physical locks.

2 Easy to Use

Motorised and activated using a wall mounted mechanical switch, a remote-control hand-held device, or a key switch.

3 Streamlined Security

No bottom track required and the shutter curtain travels inside guide channels fitted with tamper resistant fasteners.





ROLLERSTYLE® LDS65 S2

LPCB LPS 1175 SR2

The Rollerstyle® LDS65 S2 shutter is the strongest in the Rollerstyle range. In addition to the anti-lift and end retention systems, the double wall aluminium slats are reinforced with cut-resistant alloy to protect against angle grinder attacks.

Why choose Trellidor Rollerstyle® LDS65 S2

1 Anti-cut

The double-wall aluminium slats are re-inforced with a cut-resistant alloy to protect against angle grinder attacks.

2 Anti Lift Protection

Designed for maximum security, featuring wider slats, actuators, and windlocks, ensuring advanced anti-lift protection that provide resistance to manual lifting without the need for physical locks.

3 Streamlined Security

No bottom track required and the shutter curtain travels inside guide channels fitted with tamper resistant fasteners.

STANDARD FEATURES THAT SET TRELLIDOR ROLLER SHUTTERS APART

- Custom-made to fit a wide range of openings including doors and windows.
- Selection of control devices such as wall mounted and hand-held transmitters.
- Manual over-ride and obstacle detection available as accessories.
- Compact shutter box can be recessed into ceiling in suitable locations.
- Shutters protect against poor weather and provide thermal and acoustic insulation.
- No tripping hazard as shutter lifts up and no bottom track is required.
- Components treated before powder coating to prevent corrosion.
- Warranty against defective workmanship, materials and corrosion.

AVAILABLE CONFIGURATIONS



FIXED OPEN



FIXED CLOSED

*These configurations are examples used for illustrative purposes only. The final design of each product will be dictated by site limitations, customer specifications, and location restrictions.

	MIN (W)	MAX (W)	MIN (H)	MAX (H)
RH55	1290	4500	1000	4000
SS76	1000	6000	1000	6000
LDS65 S1	1000	4500	1000	4200
LDS65 S2	1000	4500	1000	4200

COMPARISON CHART

	RH55	SS76	LDS65 S1	LDS65 S2
CERTIFIED RATING	N/A	N/A	LPCB LPS1175 SR1	LPCB LPS1175 SR2
SLAT MATERIAL	Double Wall Aluminium	Single Wall Steel	Double Wall Aluminium	Double Wall Aluminium
SLAT SIZE	55mm wide x 1.5mm thick	76mm wide x 0.9 thick	65mm wide x 1.3mm thick	65mm wide x 1.3mm thick
SLAT WEIGHT	9.5kg/sqm	11kg/sqm	13kg/sqm	13kg/sqm
SLAT CONFIGURATION	Solid or Vented (width dependent)	Fenestra Punched or Perforated	Solid	Solid
WINDLOCKS (CURTAIN SLAT ASSEMBLY)	Yes	Yes	Yes	Yes
GUIDE CHANNEL	Aluminium 90 x 30mm	Aluminium 100 x 35mm	Aluminium 97 x 32mm	Aluminium 97 x 32mm
BOX SIZE (HEIGHT DEPENDENT)	250 to 300mm	350 to 400mm	250 to 300mm	250 to 300mm
OPERATION	Motorised	Motorised with 2-point manual locking	Motorised	Motorised
ANTI-LIFT	No	No	Yes	Yes
ANTI-CUT ALLOY	No	No	No	Yes
MOTOR WARRANTY (COASTAL/ INLAND)	5 years	5 years	5 years	5 years
MATERIAL WARRANTY (INLAND)	5 years	5 years	5 years	5 years
MATERIAL WARRANTY (COASTAL)	5 years	3 years	3 years	3 years
COMPONENT WARRANTY (COASTAL/ INLAND)	3 years	3 years	3 years	3 years
ELECTRICAL WARRANTY (COASTAL/ INLAND)	1 year	1 year	1 year	1 year

WHY TRELLIDOR?

A BRAND YOU CAN TRUST

We were established in 1976 and have secured millions of doors, windows and other openings since our journey began.

CLOSE TO OUR CUSTOMERS

We have a large network of outlets so that we can provide customised products and expert personalised service with local knowledge.

INNOVATIVE PRODUCT RANGE

We're constantly updating our range to reflect current trends but continue to supply our old favourites that are trusted around the world.

PEACE OF MIND PROTECTION

We invest in international third-party testing and certification of our high-end designs to ensure that our entire range provides the best protection on offer.

DEPENDABLE PRODUCT WARRANTIES

Our warranties are not a sales gimmick. Not only are they internationally verified, they are realistic, reliable, responsible and reflect our confidence in our products.

LONG LASTING INVESTMENT

Our world-class anti-corrosion pretreatment and powder coating process creates a smooth, high-quality finish for a durable product with a long lifespan.

COLOURS

All Trellidor products come in 8 standard colours. Special colours are available on request, allowing you to choose a colour to best suit your decor or your corporate colours.

The Trellidor powder coating system includes a pre-treatment process that enhances our products' corrosion and UV resistance. The powder coating is ideal for coastal and inland conditions and increases the lifespan of the barrier by retaining its quality finish.

*Actual colours may vary slightly due to device settings, differences in printing substrates, or personal perceptions of colour.

WHITE | BRONZE | SAND | BEIGE GREY | ALUMINIUM | ANTHRACITE GREY | BLACK | STONE GREY

ADDRESS:
20 Aberdare Drive,
Phoenix Industrial Park,
Durban, South Africa.

CONTACT:
T: +27 (0) 861 873 554 367
E: info@trellidor.co.za
W: www.trellidor.co.za

Trellidor, Rollerstyle and The Ultimate Crime Barrier are registered trademarks of Trellicor (Pty) Ltd.