Certificate of Product Approval

Trellicor (Pty) Limited

CERTIFICATE NUMBER	ISSUE	COMPANY ADDRESS
474g	01	20 Aberdare Drive Phoenix Industrial Park Durban South Africa

The named company is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

PRODUCTS	STANDARDS
LDS65i S1 Security Shutters	LPS 1175: Issue 8 Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate is maintained and held in force through regular surveillance activities.

Signed for BRE Global Ltd	Chris Hunt Verifier	24 April 2026 Date of this Issue

24 April 2026
Date of First Issue

This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford,WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com

Copyright © 2026 BRE. All Rights Reserved.

Appendix to Certificate No: 474g

ISSUE
01

Trellicor (Pty) Limited

Security Shutters

Product Name	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB. Ref. No.
LDS65i S1	Reveal fitted security shutter	0.6	3.5	1	6.0	A1 (SR1)	474g/01

Approved Installation Configurations

Product Name	Configuration	Substrate					
		Brickwork	Blockwork	Concrete	Reinforced brickwork/ blockwork	Reinforced concrete	Structural steelwork
LDS65i S1	Reveal fitted security shutter	✓	✓	✓	✓	✓	✓

Notes

1. The security rating only applies to the shutters when installed and operated in accordance with the documents titled 'Trellidor LDS65 lockdown shutters installation and operation manual (Rev 2)'. The installation shall be direct to the substrate and not via intermediate substrates, such as plasterboard.

This certificate is maintained and held in force through regular surveillance activities.

Signed for BRE Global Ltd	Chris Hunt Verifier	24 April 2026 Date of this Issue

24 April 2026
Date of First Issue

This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford,WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com

Copyright © 2026 BRE. All Rights Reserved.